

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15

PAG.1/7

## 1. PRODUCT AND COMPANY INFORMATION

### 1.1 Product identification

Commercial name	:	PYROFLOW-61	PYROFLOW-40 SIN
		PYROFLOW-40	PYROFLOW-50
		PYROFLOW-70/30 CSZ	PYROFLOW-900/S
		PYROFLOW-5025	PYROFLOW-4017-SIC
		PYROFLOW-6530-SIC-G	PYROFLOW-5525-ZE
		PYROFLOW-6030	PYROFLOW-60
		PYROFLOW-85	PYROFLOW-900
		PYROFLOW-50-Z-SIC	PYROFLOW-60-10-Z
		PYROFLOW-5525-ZE SIN	PYROFLOW-60 SIN
		PYROFLOW-70	PYROFLOW-80-AL
		PYROFLOW-900 F1	PYROFLOW-8016-SIC
		PYROFLOW-80	PYROFLOW-70/30-ESP
		PYROFLOW-75/25-ESP	PYROFLOW-90
		PYROFLOW-90 SIN	PYROFLOW 94-ESP
		PYROFLOW-95	PYROFLOW-99 (y familia)

### 1.2 Product use and inadvisable uses

Use of the substance/mixture : Aluminium refractory dense concrete self-flowing.

### 1.3 Company identification

Company : TEIDE REFRACTORY SOLUTIONS, S.L.  
Crta. C-155 (Sabadell-Granollers), km. 11,1  
08185-LLIÇÀ DE VALL (BARCELONA)

Telephone : + 34 93 844 58 80

Fax : + 34 93 843 65 01

Contact e-mail : [teide@teide.es](mailto:teide@teide.es)

For more information : [www.teide.es](http://www.teide.es)

### 1.4 Emergency telephone

+34 93 844 58 80 (Available Monday to Friday from 8:00 AM to 6:00 PM)

## 2. IDENTIFICATION OF DANGERS

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 (CLP)

Not classified

#### Classification (67/548/CEE, 1999/45/EEC)

Not classified

### 2.2 Label elements

#### Labeling (Regulation (EC) No. 1272/2008)

Danger pictograms	:	None
Word of warning	:	None
Indications of danger	:	None
Precautionary advice	:	<b>Prevention</b> P261

Avoid breathing  
dust/fume/gas/mist/vapours/spray.

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15

PAG.2/7

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Intervention:**  
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Other dangers:**

The substance does not meet the criteria for identification as PBT or vPvB in accordance with Appendix XIII of the REACH Regulation.

General dust may cause irritation to the respiratory system.

**3. COMPOSITION/INFORMATION CONCERNING INGREDIENTS**

The mixture does not contain any classified element according to current regulation (Regulation (EC) No. 1272/2008) element

None of the components are radioactive under the terms of European Directive Euratom 96/29.

**4. FIRST AID****4.1 Description of first aid:**

- General recommendations : Move the person from the dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
- If you have inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, consult a doctor.
- In case of contact with eyes : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy. Continue rinsing. If eye irritation persists, consult a specialist
- If swallowed : Do not induce vomiting. Rinse mouth with water. Never give anything through the mouth to an unconscious person. Consult a physician.

**4.2 Main symptoms and effects, both acute and delayed**

Symptoms : No information available.

Risks : No information available.

Can cause respiratory irritation.

**5. FIRE FIGHTING MEASURES****5.1 Extinguishing measures**

Suitable extinguishing measures : Use extinguishing measures appropriate to local circumstances and the surrounding environment.

These products are not flammable. Fire reaction class: Zero.

Use extinguishing measures appropriate for products that are flammable in the vicinity, such as packaging and protective materials.

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15

PAG.3/7

**5.2 Special dangers arising from the substance or mixture**

Specific dangers during fire fighting : Do not allow extinguishing water to enter drains or waterways.

**5.3 Advice for firefighters**

Special protective equipment for fire-fighters : If necessary, wear a self-contained breathing apparatus for fire fighting. In case of fire or explosion do not breathe fumes

**6. MEASURES IN CASE OF ACCIDENTAL RELEASE****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use appropriate personal protective equipment (PPE), goggles, gloves and protective clothing. Ensure adequate ventilation. Evacuate personnel to safe areas.

**6.2 Precautions for the environment**

Environmental precautions : Comprobar la reglamentación local que pueda ser de aplicación. Avoid dust dispersion, damping the materials. Prevent entry into sewers and natural waterways. Check local regulations that may be applicable

**6.3 Containment and cleaning methods and procedures**

Cleaning methods : Contain the spill, absorbing with earth or sand, throwing it with a shovel into the appropriate container.

**7. HANDLING AND STORAGE****7.1 Precautions for safe handling**

Advice on safe handling : For personal protection see Section 8. No smoking, eating and drinking during work. No handling dry or wet product with bare hands, unprotected. Design the process or processes to limit the amount of handling.

Indications for fire and explosion protection : Normal measures for preventive fire protection.

Hygienic measures : Avoid contact with skin, eyes and clothing

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage and containers : Store in original container. The bags or envelopes that are opened must be carefully resealed and kept upright to prevent leakage. Keep tightly closed. Keep in a dry, cool and well-ventilated place.

Advice on joint storage : No special restrictions on storage with other products.

Other data : Stable under recommended storage conditions.

**7.3 Specific use**

Consult our technical-sales department

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15  
PAG.4/7

## 8. EXPOSURE/PERSONAL PROTECTION CONTROL

### 8.1 Control parameters

#### Occupational exposure limits

Components	No. CAS	Value Type (Form of exposure)	Control parameters	Base
Aluminum	1344.28.1	VLA-ED	10 mg/m <sup>3</sup>	ES VLA

Based on the "ENVIRONMENTAL VALUE LIMIT TABLES (EVL)" published by the National Institute for Safety and Health at Work (INSHT).

Yet industrial hygiene standards and exposure limits at work may vary between countries and local jurisdictions.

To comply with local regulations, find out which rules are in force in the country.

If there are no directives on the regulation of dust or other standards, you can consult an environmental expert to help you with a specific workplace evaluation, including recommendations for respiratory protection.

### 8.2 Exposure controls

#### Personal protection

##### Eye protection



- : Safety glasses tightly fitting the face. Wear a face-shield and protective suit for anomalies in the process. Labeled 'CE' Category II. Eye and face protection against splashing. Standards CEN: EN 165, EN 166, EN 167, EN 168

##### Hand protection



- : Protective gloves against chemicals. Labeled 'CE' Category III. Standards CEN: EN 374-1, En 374-2, EN 374-3, EN 420

##### Body and skin protection



- : Protective clothing with antistatic properties. Labeled 'CE' Category II. Protective clothing should not be too tight or loose so as not to interfere with the user's movements. Standards CEN: EN 340, EN 1149-1, EN 1149-2, EN 1149-3, EN 1149-5

##### Respiratory protection



- : Filter mask for protection against gases and particles. Labeled 'CE' Category III. The mask must have a wide field of vision and anatomically shaped to provide sealing and tightness. Standards CEN: EN 136, EN 140, EN 405

##### Protection measures

- : Avoid contact with skin. Do not eat, drink or smoke during use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on physical and chemical properties

Appearance	: Aggregate mix
Color	: Grayish
Smell	: Odorless
pH (20g/L, 20 °C)	: No available data
Fusion point/interval	: No available data
Boiling point/interval	: No available data
Inflammation point	: No applicable
Inflammability (liquid)	: Does not burn
Density (20 °C)	: 2.3-3.2 g/cm <sup>3</sup>
Water solubility	: Immiscible

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15  
PAG.5/7

Explosive properties : Regulatory information: Non-explosive  
International regulations for transport. Non explosive

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of dangerous reactions

Dangerous reactions : Stable under recommended storage conditions

No dangerous reaction known under conditions of normal use

### 10.4 Conditions to avoid

Conditions to avoid : Without available data

See handling and storage tips in Section 7.

### 10.5 Incompatible materials

Incompatible materials : Without available data

### 10.6 Dangerous decomposition products

Dangerous Decomposition Products : None known

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects.

#### Acute toxicity

Not classified based on the information available.

#### Corrosion or skin irritation

Not classified based on the information available.

#### Respiratory or skin sensitivity

Not classified based on the information available.

#### Germ cell mutagenicity

Not classified based on the information available.

#### Specific target organ toxicity (STOT) – single exposure

Not classified based on the information available.

#### Specific target organ toxicity (STOT) - repeated exposure

Not classified based on the information available.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Not classified based on the information available.

### 12.2 Persistence and degradability

Not classified based on the information available.

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15  
PAG.6/7**12.3 Bioaccumulation potential**

Not classified based on the information available.

**12.4 Soil mobility**

No available data

**12.5 Results of PBT and vPvB****Product:**

Assessment : This substance/mixture does not contain components considered to be persistent bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects****Product:**

Additional ecological information : We cannot exclude the danger to the environment in the event of unprofessional handling or disposal. Harmful to aquatic organisms.

**13. DISPOSAL CONSIDERATIONS****13.1 Methods for treating waste**

Product : The product should not be allowed to enter drains, water courses or land (soil). Do not contaminate ponds, waterways or ditches with a chemical product or used container. Offer the surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

**14. TRANSPORT INFORMATION****14.1 ONU Number**

ONU Number : Not relevant

ADR (Road transport, Council Directive 94/55/CE)

IMDG (Maritime transport)

RID Rail transport, Council Directive 96/49/CE)

IATA (Air transport)

**14.2 Official UN shipping name**

Official UN shipping name : Not relevant

**14.3 Kind(s) of transport hazard**

Kind(s) of transport hazard : Not relevant

**14.4 Packing group**

Packing group : Not relevant

**14.5 Dangers for the environment**

Dangers for the environment : Not relevant

**14.6 Special precautions for users**

Special precautions for users : Not relevant

**14.7 Bulk transport according to Appendix II of MARPOL 73/78 and the IBC Code**

Bulk transport according to Appendix II of MARPOL 73/78 and the IBC Code : Not relevant

Code

PRODUCT DESCRIPTION	GROUP	FAMILY
AUTOGUNNING CONCRETE	NC	65

REV.7 08.15

PAG.7/7

## 15. REGULATORY INFORMATION

### 15.1 Regulation and legislation on safety, health and environment specific for the substance or mixture

Regulation and legislation on safety, : Ensure all national and local regulations are observed  
health and environment specific for  
the substance or mixture

### 15.2 Chemical safety assessment

Chemical safety assessment : Has not been conducted

## 16. OTHER INFORMATION

### Other data

The information provided in this Safety Data Sheet is correct at the date of publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and should not be considered a guarantee or quality specification.

The information relates only to the specific material and may not be valid for such material used in combination with other materials or in any process, unless specified in the text.

#### National Emergency Phone Number (ECHA):

EU	: Europe	: 112
AT	: Austria	: +43 1 40 6 43 43 (VIZ Wien)
BE	: Belgium	: +32 (0)70 245 245
BG	: Bulgaria	: +359 2 9154 409
HR	: Croatia	: 112, +385 1 2348 342
CY	: Cyprus	: 1401, 112
CZ	: Czech Republic	: +420 224 919 293, +420 224 915 402
DK	: Denmark	: +45 82 12 12 12
EE	: Estonia	: 16662, +372 626 93 90
FI	: Finland	: +358 (0)9 471977
FR	: France	: +33 (0)1 45 42 59 59 (ORFILA (INRS))
DE	: Germany	: +49 (0)6131 19240 (GIZ Mainz)
EL	: Greece	: 112, +30 21 07 79 37 77
HU	: Hungary	: +36 80 20 11 99 (HTIS)
IS	: Iceland	: +354 543 2222, 112
IE	: Ireland	: +353 (0)1 837 9964
IT	: Italy	: +39 011 6637637 (Torino), +39 02 66101029 (Milano), +39 0382 24444 (Pavia), +39 049 8275078 (Padova), +39 010 5636245 (Genova), +39 055 4277238 (Firenze), +39 06 3054343 (Roma), +39 06 49970698 (Roma), +39 081 7472870 (Napoli)
LV	: Latvia	: +371 67042473
LT	: Lithuania	: +370 5 236 20 52, +370 687 53378
NL	: Netherlands	: +31 (0)30 274 88 88 (NVIC)
NO	: Norway	: 22 59 13 00
PL	: Poland	: +48 58 682 0404 (Gdansk), +48 12 411 99 99 (Krakow), +48 42 63 14 724 (Lodz), +48 32 266 11 45 (Sosnowiec), +48 22 6119 66 54 (Warszawa), +48 71 343 3008 (Wroclaw)
PT	: Portugal	: 808 250 143 (CIAV)
RO	: Romania	: +402 212 106 282
SK	: Slovakia	: +421 2 5477 4166 (NTIC)
SI	: Slovenia	: +386 41 635 500
ES	: Spain	: +34 91 562 04 20 (SIT)
SE	: Sweden	: 112
CH	: Switzerland	: 145
GB	: United Kingdom	: 844 892 0111